EUHUPEAN PAIENI U

Patent Abstracts of Japan

PUBLICATION NUMBER

57140339

PUBLICATION DATE

30-08-82

APPLICATION DATE

24-02-81

APPLICATION NUMBER

56025646

APPLICANT: NIPPON SHEET GLASS CO LTD;

INVENTOR: ATAKA KOICHI;

INT.CL.

: C03C 15/00 C03C 17/23 C03C 23/00

TITLE

REMOVING METHOD FOR METALLIC OXIDE FILM

ABSTRACT: PURPOSE: To easily obtain a substrate having a stuck metallic oxide film of a prescribed shape by coating part of a metallic oxide film of Fe oxide or the like stuck to a substrate with a synthetic resin sheet and treating the film with a heated aqueous acid soln.

> CONSTITUTION: To provide electric conductivity, chromatic, decorative and mirror effects, etc. to a substrate of glass or the like a film of ≥1 kind of metallic oxide selected from Fe, Cr, Co, Ti, Cu, Ni, Mn, Zn, In, Al, V, Mo and W oxides or said metallic oxide and ≤20wt% SnO is stuck to the substrate, and the desired part of the film is coated with an acid-proof synthetic resin sheet of vinyl chloride resin or the like using a thermoplastic resin such as polyvinyl alcohol or a thermosetting resin such as phenol resin as an adhesive. The film is then treated with a ≥4wt% aqueous soln. of ≥1 kind of acid selected from sulfuric acid, nitric acid, hydrochloric acid and phosphoric acid or a mixture of said soln. with other acid soln. at ≥80°C to dissolve and remove the uncoated part of the film. Then, a metallic oxide film of the desired shape is obtd.

COPYRIGHT: (C)1982,JPO&Japio

View

<u>lma</u>

1 pa

The Delphion Integrated View

Buy Now: More choices.

Tools: Add to Work File: Create new Work File

View: INPADOC | Jump to: Top...

Go to: Derwent...

Email this to a

Title:JP57140339A2: REMOVING METHOD FOR METALLIC OXIDE FILM

PCountry: JP Japan

ହKind: A

TINVENTOR: KAWAHARA HIDEO;

ATAKA KOICHI:

PAssignee: NIPPON SHEET GLASS CO LTD

News, Profiles, Stocks and More about this company

Published / Filed: Aug. 30, 1982 / Feb. 24, 1981

JP1981000025646

Number:
PIPC Code:

C03C 15/00; C03C 17/23; C03C 23/00;

Priority Number: Feb. 24, 1981 JP1981000025646

PURPOSE: To easily obtain a substrate having a stuck metallic oxide film of a prescribed shape by coating part of a metallic oxide film of Fe oxide or the like stuck to a substrate with a synthetic resin sheet and treating the film with a heated aqueous acid soln.

CONSTITUTION: To provide electric conductivity, chromatic, decorative and mirror effects, etc. to a substrate of glass or the like a film of ≥ 1 kind of metallic oxide selected from Fe, Cr, Co, Ti, Cu, Ni, Mn, Zn, In, Al, V, Mo and W oxides or said metallic oxide and ≤ 20 wt% SnO is stuck to the substrate, and the desired part of the film is coated with an acid-proof synthetic resin sheet of vinyl chloride resin or the like using a thermoplastic resin such as polyvinyl alcohol or a thermosetting resin such as phenol resin as an adhesive. The film is then treated with a ≥ 4 wt% aqueous soln. of ≥ 1 kind of acid selected from sulfuric acid, nitric acid, hydrochloric acid and phosphoric acid or a mixture of said soln. with other acid soln. at > 80°C to dissolve and remove the uncoated part of the film.

Then, a metallic oxide film of the desired shape is obtd.

COPYRIGHT: (C)1982,JPO&Japio

🖁 Family:

PDF	Publication	Pub. Date	Filed	Title
	JP57140339A2	Aug. 30, 1982	Feb. 24, 1981	KINZOKUSANKABUTSUHIMAKUNOJOKYO
	JP1042902B4	Sept. 18, 1989	Feb. 24, 1981	KINZOKUSANKABUTSUHIMAKUNOJOKYO

REST AVAILABLE COPY

Prorward
 References:

PDF	Patent	Pub.Date	Inventor	Assignee	Title
Z.	US6406639	2002-06-18	Sakaguchi; Koichi	Co Ltd	Method of partially forming oxide layer on glass substrate
72	US6231924	2001-05-15	Sakaguchi; Koichi		Method of partially forming oxide layer
28	US5720791	1998-02-24	Miyaura; Tomoko	Minolta Co., Ltd.	Method of producing an optical lens element

POther Abstract
Info:

CHEMABS 098(06)039526Z









Nominate this for the Gallery...

© 1997-2002 Delphion, Inc.

Research Subscriptions | Privacy Policy | Terms & Conditions | Site Map | Contact Us

BEST AVAILABLE COPY